



REFRIGERATED COUNTER WITH 2 GN DOORS

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5 cm
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable Inox feet
- Plastic-coated grills
- Stainless steel pair sheet for Gastronorm Containers
- Ecological Freon



MODEL	PG 140
External dimensions (WxDxH) cm.	140 x 70 x 85
Capacity (Lt.)	318
Temperature Range (°C)	0 to +10
Doors	2
Door Dimensions (WxD) cm.	43 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	4 / 41 x 49
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50
Input Power (W)	350
Compressor (HP)	3/8
Type of Cooling	Fan assisted
Type of Defrost	Automatic
Controller	Digital
Refrigerant	R 134 a
Internal Light	✓
Net Weight (kg)	100
Volume (m3)	0,83

REFRIGERATED COUNTER WITH 3 GN DOORS



- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5 cm
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable Inox feet
- Plastic-coated grills
- Stainless steel pair sheet for Gastronorm Containers
- Ecological Freon



MODEL	PG 180
External dimensions (WxDxH) cm.	180 x 70 x 85
Capacity (Lt.)	431
Temperature Range (°C)	0 to +10
Doors	3
Door Dimensions (WxD) cm.	43 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	6 / 41 x 49
Inox Feet (Pcs/Dimensions (H) cm.)	4 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50
Input Power (W)	350
Compressor (HP)	3/8
Type of Cooling	Fan assisted
Type of Defrost	Automatic
Controller	Digital
Refrigerant	R 134 a
Internal Light	✓
Net Weight (kg)	115
Volume (m3)	1,07



REFRIGERATED COUNTER WITH 4 GN DOORS

- Stainless steel Exterior / Interior
- Insulation with ecological polyurethane 5 cm
- H.A.C.C.P. rounded corners
- Self-closing doors
- Height adjustable Inox feet
- Plastic-coated grills
- Stainless steel pair sheet for Gastronorm Containers
- Ecological Freon

MODEL	PG 235
External dimensions (WxDxH) cm.	235 x 70 x 85
Capacity (Lt.)	623
Temperature Range (°C)	0 to +10
Doors	4
Door Dimensions (WxD) cm.	43 x 67
Plastic-coated grills (Pcs/Dimensions (WxD) cm.)	8 / 41 x 49
Inox Feet (Pcs/Dimensions (H) cm.)	6 / 10 -13
Voltage / Frequency (V/Hz)	220 - 240 / 50
Input Power (W)	450
Compressor (HP)	1/2
Type of Cooling	Fan assisted
Type of Defrost	Automatic
Controller	Digital
Refrigerant	R 134 a
Internal Light	✓
Net Weight (kg)	134
Volume (m3)	1,42